



MASSEY FERGUSON

Product Information Sheet:

Date: 02/02/2015

Ref: MF/GTP/04

MF Gear Trans Plus 80W-90 Gear Oil

Massey Ferguson references:

3933066M2 20 ltr
3931034M3 5 ltr

Note – Not all sizes are available in all markets.
Check local programmes for availability details.

Applications

MF Gear Trans Plus is designed for use in hypoid, bevel and spiral gear units, axles and final drives operating under severe conditions and over a wide spectrum of operating temperatures. Through its multigrade viscosity characteristics, MF Gear Trans Plus has been designed to meet MF requirements.

Main Benefits

- Provides effective wear protection even under severe load conditions ensuring longer component life
- High safety margin against foaming and corrosion
- Superior viscosity/temperature and cold flow properties
- Compatible with all seal materials applied.

Specifications

API GL-5
ZF TE-ML 05A/16B/17B/19B

Storage

All packages should be stored under cover. Where outside storage is unavoidable drums should be laid horizontally to avoid the possible ingress of water and the obliteration of drum markings. Products should not be stored above 60°C, exposed to hot sun or freezing conditions.

Health, Safety and Environment

Health, safety and environmental information is provided for this product in the Materials Safety Data Sheet. This gives details of potential hazards, precautions and First Aid measures, together with environmental effects and disposal of used products.

You should ensure that the product is only used for the purpose specified.

Typical Characteristics

SAE Classification	80W-90
Density at 15 °C	0.894
Viscosity at 100 °C, cSt.	13.7
Viscosity at 40 °C, cSt.	140130
Viscosity Index	107
Flash Point (Open) °C	190
Pour Point, °C	-30

The above figures are typical of those obtained with normal production tolerance and do not constitute a specification.

This Product Information Sheet contains details considered to be accurate at the date of printing. No warranty or representation, expressed or implied, is made as to the accuracy or completeness of the data and information contained in this publication.

The Seller shall not be responsible for any loss or damage resulting from any hazards or risks identified in the data sheet and which are associated with petroleum products concerned (provided that this disclaimer shall not affect any statutory rights of the Buyer of the petroleum products concerned).

It is the User's obligation to evaluate and use products safely and within the scope advised in the data sheet and to comply with all applicable laws and regulations. No statement made in this publication shall be construed as a permission, recommendation or authorisation given or implied to practice any patented invention without a valid licence.

You should always refer to the relevant machine Operators Instruction Manual and only use correct specifications advised